

EAST 1/23/05

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---|---|------------------|---------|------------------|
| L1 | 1 | ("5709605").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/23 12:26 |
| L2 | 1 | ("5865429").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/23 12:26 |
| L3 | 119395 | (tube or concentric or sleeve or bushing or bush) same (rubber or elastomeric) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/23 12:33 |
| L4 | 196 | (tube or concentric or sleeve or bushing or bush) same (rubber or elastomeric) with (preload or preloaded or preloading) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/23 12:40 |
| L5 | 1 | ("3645115").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/23 12:40 |
| L6 | 11 | ("3020036" "3642268" "4471935" "4889328").PN. OR ("5031885").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/01/23 12:47 |
| L7 | 1 | 1984-018463.NRAN. | DERWENT | OR | ON | 2005/01/23 12:56 |
| S1 | 1 | ("5934653").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/02/09 06:25 |
| S2 | 1 | "5934653".URPN. | USPAT | OR | ON | 2004/02/09 06:24 |
| S3 | 5 | ("2037033" "2775998" "2826244" "3751111" "5474362").PN. | USPAT | OR | ON | 2004/02/09 06:25 |
| S4 | 118 | RIVIN.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/08/22 12:34 |
| S5 | 19 | (US-5474362-\$ or US-6588967-\$ or US-6449798-\$ or US-6164689-\$ or US-6003193-\$ or US-5630758-\$ or US-5595391-\$ or US-5322304-\$ or US-4944196-\$ or US-4557703-\$ or US-4358215-\$ or US-4184380-\$).did. or (US-20030211894-\$ or US-20030186748-\$ or US-20030185624-\$ or US-20030025282-\$ or US-20030013568-\$ or US-20020172546-\$ or US-20020113349-\$).did. | US-PGPUB; USPAT | OR | OFF | 2004/02/09 06:33 |
| S6 | 1 | ("5890567").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/02/09 06:37 |
| S7 | 4 | "5890567".URPN. | USPAT | OR | ON | 2004/02/09 06:39 |

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S8 | 9 | ("1555137" "1611664" "2080895" "2094637" "3630323" "3989305" "4456308" "4699433" "5328008"). PN. | USPAT | OR | ON | 2004/02/09 06:39 |
| S9 | 1612 | drum near2 brak\$4 same hub | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/09 07:08 |
| S10 | 1 | drum near2 brak\$4 same hub same protector | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/09 07:08 |
| S11 | 24 | drum near2 brak\$4 same hub same radial adj flange | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/09 07:09 |
| S12 | 0 | drum near2 brak\$4 same hub same radial adj flange same material | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/09 07:09 |
| S13 | 0 | drum near2 brak\$4 same hub same radial adj flange same coat\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/09 07:09 |
| S14 | 6 | RIVIN.in. and streamline\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/14 15:37 |
| S15 | 6 | (US-5934653-\$ or US-5630758-\$).did. or (US-20020113349-\$).did. or (US-20020113349-\$ or US-5934653-\$ or US-5630758-\$).did. | US-PGPUB; USPAT; DERWENT | OR | OFF | 2004/02/14 15:38 |
| S16 | 14 | ((("2037033") or ("3751111") or ("5474362") or ("2775998") or ("2037032") or ("4139187") or ("4835801") or ("3118153") or ("5330165") or ("5409199") or ("3679197") or ("4349184") or ("4513954") or ("4957279")).PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/02/14 15:53 |
| S17 | 189 | (bush or bushing or sleeve or coaxial or concentric) same (rubber or elastom\$4) same adjustabl\$4 near5 (screw or bolt or threaded) | US-PGPUB; USPAT | OR | ON | 2004/08/22 12:37 |
| S18 | 247 | butler.xp,xa. and "384"/\$.ccls. | US-PGPUB; USPAT | OR | ON | 2004/02/14 15:59 |
| S19 | 0 | "384"/\$.ccls. and "poon,xa,xp." | US-PGPUB; USPAT | OR | ON | 2004/02/14 15:59 |
| S20 | 0 | "267"/\$.ccls. and "poon,xa,xp." | US-PGPUB; USPAT | OR | ON | 2004/02/14 15:59 |

| | | | | | | |
|-----|-----|---|--------------------|----|----|------------------|
| S21 | 118 | "267"/\$.ccls. and poon.xa,xp. | US-PGPUB; USPAT | OR | ON | 2004/02/14 16:00 |
| S22 | 4 | "384"/\$.ccls. and poon.xa,xp. | US-PGPUB; USPAT | OR | ON | 2004/02/14 15:59 |
| S23 | 66 | "267"/\$.ccls. and poon.xa,xp. and rubber | US-PGPUB; USPAT | OR | ON | 2004/02/14 16:00 |
| S24 | 18 | (balls! or cylinders!) same (rubber or elastom\$4) same adjustabl\$4 near5 (screw or bolt or threaded) | US-PGPUB; USPAT | OR | ON | 2004/02/14 16:03 |
| S25 | 498 | (balls! or cylinders!) same (rubber or elastom\$4) same adjustabl\$4 near5 (screw or bolt or threaded) | USOCR | OR | ON | 2004/02/14 16:03 |
| S26 | 31 | (balls! or cylinders!) same (rubber or elastom\$4) same adjustabl\$4 near5 (screw or bolt or threaded) and ("267"/\$.ccls. or "384"/\$.ccls. or "248"/\$.ccls. or "464"/\$.ccls. or "403"/\$.ccls.) | USOCR | OR | ON | 2004/02/14 16:05 |
| S27 | 20 | (rubber or elastom\$4) same adjustabl\$4 near5 (screw or bolt or threaded) and ("267"/\$.ccls. or "384"/\$.ccls.) | US-PGPUB; USPAT | OR | ON | 2004/02/14 16:05 |
| S28 | 155 | (rubber or elastom\$4) same adjustabl\$4 near5 (screw or bolt or threaded) and ("267"/\$.ccls. or "384"/\$.ccls.) | USOCR | OR | ON | 2004/02/14 16:10 |
| S29 | 469 | (rubber or elastom\$4) same adjustabl\$4 near5 (screw or bolt or threaded) same inside same (tube or concentric or sleeve or bushing or bush) | USOCR | OR | ON | 2004/02/14 16:12 |
| S30 | 5 | ((rubber or elastom\$4) same adjustabl\$4 near5 (screw or bolt or threaded) same inside same (tube or concentric or sleeve or bushing or bush)) and ("403"/\$.ccls.) | USOCR | OR | ON | 2004/02/14 16:11 |
| S31 | 9 | ((rubber or elastom\$4) same adjustabl\$4 near5 (screw or bolt or threaded) same inside same (tube or concentric or sleeve or bushing or bush)) and ("248"/\$.ccls.) | USOCR | OR | ON | 2004/02/14 16:11 |
| S32 | 11 | ((rubber or elastom\$4) same adjustabl\$4 near5 (screw or bolt or threaded) same inside same (tube or concentric or sleeve or bushing or bush)) and ("267"/\$.ccls. or "384"/\$.ccls.) | USOCR | OR | ON | 2004/02/14 16:11 |

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| S33 | 23 | (rubber or elastom\$4) same adjustabl\$4 near5 (screw or bolt or threaded) same inside same (tube or concentric or sleeve or bushing or bush) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/14 16:13 |
| S34 | 291 | (rubber or elastom\$4) same adjustabl\$4 near5 (screw or bolt or threaded) same (tube or concentric or sleeve or bushing or bush) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/17 13:17 |
| S35 | 6 | (rubber or elastom\$4) same adjustabl\$4 near5 (screw or bolt or threaded) same (tube or concentric or sleeve or bushing or bush) and "267"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/14 16:13 |
| S36 | 7 | (rubber or elastom\$4) same adjustabl\$4 near5 (screw or bolt or threaded) same (tube or concentric or sleeve or bushing or bush) and "248"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/14 16:14 |
| S37 | 1 | (rubber or elastom\$4) same adjustabl\$4 near5 (screw or bolt or threaded) same (tube or concentric or sleeve or bushing or bush) and "384"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/14 16:14 |
| S38 | 35 | (rubber or elastom\$4) same adjustabl\$4 near5 (screw or bolt or threaded) same (tube or concentric or sleeve or bushing or bush) same radial\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/14 16:17 |
| S39 | 787 | adjustabl\$4 near5 (screw or bolt or threaded) same (tube or concentric or sleeve or bushing or bush) same radial\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/17 13:55 |
| S40 | 182 | 267/141.2.ccls. | US-PGPUB; USPAT | OR | ON | 2004/02/17 13:34 |
| S41 | 2 | 267/141.2.ccls. and 267/140.2.ccls. | US-PGPUB; USPAT | OR | ON | 2004/02/17 13:18 |
| S42 | 55 | 267/141.2.ccls. and adjust\$5 | US-PGPUB; USPAT | OR | ON | 2004/02/17 13:21 |
| S43 | 6 | "5031885".URPN. | USPAT | OR | ON | 2004/02/17 13:20 |
| S44 | 4 | ("3020036" "3642268" "4471935" "4889328").PN. | USPAT | OR | ON | 2004/02/17 13:20 |
| S45 | 33673 | inner adj (tube or tubular adj cylinder or sleeve or bush or bushing) same outer adj (tube or tubular adj cylinder or sleeve or bush or bushing) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/17 13:24 |
| S46 | 15714 | concentric near4 (tubes! or cylinders! or sleeves! or bushes or bushings!) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/17 13:23 |

| | | | | | | |
|-----|--------|---|---|----|----|------------------|
| S47 | 20910 | (inner near4 outer) adj3 (tubes! or cylinders! or sleeves! or bushes or bushings!) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/17 13:25 |
| S48 | 993532 | (elastomer\$4 or rubber) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/17 13:26 |
| S49 | 3 | arcuate\$3 adj pads! same (rubber or elastomer\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/17 13:27 |
| S50 | 56696 | (inner adj (tube or tubular adj cylinder or sleeve or bush or bushing) same outer adj (tube or tubular adj cylinder or sleeve or bush or bushing)) or (concentric near4 (tubes! or cylinders! or sleeves! or bushes or bushings!)) or ((inner near4 outer) adj3 (tubes! or cylinders! or sleeves! or bushes or bushings!)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/17 13:27 |
| S51 | 3461 | ((inner adj (tube or tubular adj cylinder or sleeve or bush or bushing) same outer adj (tube or tubular adj cylinder or sleeve or bush or bushing)) or (concentric near4 (tubes! or cylinders! or sleeves! or bushes or bushings!)) or ((inner near4 outer) adj3 (tubes! or cylinders! or sleeves! or bushes or bushings!))) same ((elastomer\$4 or rubber)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/17 13:27 |
| S52 | 5 | ((((inner adj (tube or tubular adj cylinder or sleeve or bush or bushing) same outer adj (tube or tubular adj cylinder or sleeve or bush or bushing)) or (concentric near4 (tubes! or cylinders! or sleeves! or bushes or bushings!)) or ((inner near4 outer) adj3 (tubes! or cylinders! or sleeves! or bushes or bushings!)))) same ((elastomer\$4 or rubber))) same (Preload\$4 or prestress\$4) near4 (adjust\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/17 13:29 |
| S53 | 182 | ((((inner adj (tube or tubular adj cylinder or sleeve or bush or bushing) same outer adj (tube or tubular adj cylinder or sleeve or bush or bushing)) or (concentric near4 (tubes! or cylinders! or sleeves! or bushes or bushings!)) or ((inner near4 outer) adj3 (tubes! or cylinders! or sleeves! or bushes or bushings!)))) same ((elastomer\$4 or rubber))) same (adjust\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/17 13:29 |

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S54 | 182 | 267/141.2.ccls. | US-PGPUB; USPAT | OR | ON | 2004/02/17 13:37 |
| S55 | 13 | 267/141.2.ccls. and (sleeve or tube or tubular or cylinder or cylindrical or bush or bushing) | USOCR | OR | ON | 2004/02/17 13:38 |
| S56 | 154 | 267/141.2.ccls. and (sleeve or tube or tubular or cylinder or cylindrical or bush or bushing) | USPAT | OR | ON | 2004/02/17 13:38 |
| S57 | 142 | 267/141.2.ccls. and (sleeve or tube or tubular or cylinder or cylindrical or bush or bushing) same (rubber or elastom\$5 or resilient) | USPAT | OR | ON | 2004/02/17 13:42 |
| S58 | 3164 | ("464"/\$.ccls. or "384"/\$.ccls.) and (sleeve or tube or tubular or cylinder or cylindrical or bush or bushing) same (rubber or elastom\$5 or resilient) | USPAT | OR | ON | 2004/02/17 13:43 |
| S59 | 9080 | ("464"/\$.ccls. or "384"/\$.ccls. or "403"/\$.ccls. or "267"/\$.ccls.) and (sleeve or tube or tubular or cylinder or cylindrical or bush or bushing) same (rubber or elastom\$5 or resilient) | USPAT | OR | ON | 2004/02/17 13:44 |
| S60 | 70 | ("464"/\$.ccls. or "384"/\$.ccls. or "403"/\$.ccls. or "267"/\$.ccls.) and (sleeve or tube or tubular or cylinder or cylindrical or bush or bushing) same (rubber or elastom\$5 or resilient) same (radially or radial) near4 (adjust or adjustment or adjustable or vary) | USOCR | OR | ON | 2004/02/17 13:45 |
| S61 | 44 | ("464"/\$.ccls. or "384"/\$.ccls. or "403"/\$.ccls. or "267"/\$.ccls.) and (sleeve or tube or tubular or cylinder or cylindrical or bush or bushing) same (rubber or elastom\$5 or resilient) same radial\$5 near4 (adjust\$6 or vary) | USPAT | OR | ON | 2004/02/17 13:45 |
| S62 | 787 | adjustabl\$4 near5 (screw or bolt or threaded) same (tube or concentric or sleeve or bushing or bush) same radial\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/17 13:55 |
| S63 | 101 | adjustabl\$4 near5 (screw or bolt or threaded) same (tube or concentric or sleeve or bushing or bush) same radial\$4 same (three or four) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/17 13:56 |
| S64 | 30 | adjustabl\$4 near5 (screw or bolt or threaded) same (tube or concentric or sleeve or bushing or bush) same radial\$4 near5 (screw or bolt or threaded) same (three or four) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 06:56 |
| S65 | 1 | ("4606435").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/02/18 05:14 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S66 | 191 | adjustabl\$4 near5 (screw or bolt or threaded) same (tube or concentric or sleeve or bushing or bush) same (three or four) same (rod or shaft) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 06:59 |
| S67 | 0 | adjustabl\$4 near5 (screw or bolt or threaded) same (tube or concentric or sleeve or bushing or bush) same (three or four) same (rod or shaft) and "464"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 06:59 |
| S68 | 8 | adjustabl\$ same (tube or concentric or sleeve or bushing or bush) same (three or four) same (rod or shaft) and "464"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/23 12:32 |
| S69 | 10 | adjustabl\$ same (tube or concentric or sleeve or bushing or bush) same (three or four) same (rod or shaft) and "267"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 07:00 |
| S70 | 101 | adjustabl\$ same (tube or concentric or sleeve or bushing or bush) same (rod or shaft) and "464"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 07:01 |
| S71 | 8 | adjustabl\$ same (tube or concentric or sleeve or bushing or bush) same (rod or shaft) same (rubber or elastomer\$5) and "464"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 07:06 |
| S72 | 37 | adjustabl\$ same (tube or concentric or sleeve or bushing or bush) same (rod or shaft) same (rubber or elastomer\$5) and "267"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 07:08 |
| S73 | 22 | adjustabl\$ same (tube or concentric or sleeve or bushing or bush) same (rod or shaft) same (rubber or elastomer\$5) and "248"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 07:09 |
| S74 | 10 | adjustabl\$ same (tube or concentric or sleeve or bushing or bush) same (rod or shaft) same (rubber or elastomer\$5) and "384"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 07:10 |
| S75 | 110 | adjustabl\$ same (tube or concentric or sleeve or bushing or bush) same (rod or shaft) same (rubber or elastomer\$5) and "384"/\$.ccls. | USOCR | OR | ON | 2004/02/18 07:20 |
| S76 | 156 | ((384/40) or (384/37)).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/02/18 07:14 |
| S77 | 218 | adjustabl\$ same (tube or concentric or sleeve or bushing or bush) same (rod or shaft) same (rubber or elastomer\$5) and "267"/\$.ccls. | USOCR | OR | ON | 2004/02/18 07:25 |

| | | | | | | |
|-----|-------|---|---|----|----|------------------|
| S78 | 10701 | adjustabl\$ same (tube or concentric or sleeve or bushing or bush) same (rod or shaft) same (rubber or elastomer\$5) | USOCR | OR | ON | 2004/02/18 07:26 |
| S79 | 398 | adjustabl\$ same (tube or concentric or sleeve or bushing or bush) same (rod or shaft) same (rubber or elastomer\$5) same (stiffness or rigidity or preload\$4 or prestress\$4) | USOCR | OR | ON | 2004/02/18 07:27 |
| S80 | 21 | adjustabl\$ same (tube or concentric or sleeve or bushing or bush) same (rod or shaft) same (rubber or elastomer\$5) same (stiffness or rigidity or preload\$4 or prestress\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 07:28 |
| S81 | 72 | adjust\$ same (tube or concentric or sleeve or bushing or bush) same (rod or shaft) same (rubber or elastomer\$5) same (stiffness or rigidity or preload\$4 or prestress\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 07:40 |
| S82 | 51 | (adjust\$ same (tube or concentric or sleeve or bushing or bush) same (rod or shaft) same (rubber or elastomer\$5) same (stiffness or rigidity or preload\$4 or prestress\$4)) not (adjustabl\$ same (tube or concentric or sleeve or bushing or bush) same (rod or shaft) same (rubber or elastomer\$5) same (stiffness or rigidity or preload\$4 or prestress\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 07:29 |
| S83 | 613 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (rod or shaft) same (rubber or elastomer or elastomeric) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) | USOCR | OR | ON | 2004/02/18 07:41 |
| S84 | 3 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) near4 (rings or cylinders) same (rod or shaft) same (rubber or elastomer or elastomeric) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 07:42 |
| S85 | 63 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) near4 (rings or cylinders) same (rod or shaft) same (rubber or elastomer or elastomeric) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) | USOCR | OR | ON | 2004/02/18 09:15 |

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S86 | 3 | "3073654".URPN. | USPAT | OR | ON | 2004/02/18 08:16 |
| S87 | 143 | (384/220).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/02/18 08:16 |
| S88 | 3 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) near4 (rings or cylinders or orings! or resilient adj elements! or cushions!) same (rod or shaft) same (rubber or elastomer or elastomeric) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:19 |
| S89 | 2076 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:21 |
| S90 | 0 | ((adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed)) and 267/277-278.ccls | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:20 |
| S91 | 0 | 267/277-278.ccls | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:20 |
| S92 | 106 | 267/277-278.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:20 |
| S93 | 2 | ((adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed)) and 267/277-278.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:20 |
| S94 | 10 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) and 267/273-285.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:22 |
| S95 | 10 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) and 267/292-294.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:23 |

| | | | | | | |
|----------|--------|--|---|----|----|------------------|
| S96 | 17 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) and 267/140.2-141.7,152-153.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:26 |
| S97 | 74 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) and "248"/\$. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:30 |
| S98 | 44 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) and "403"/\$. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:34 |
| S99 | 2076 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:34 |
| S10 0 | 446702 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) sam rings! | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:35 |
| S10 1 | 77 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) same rings! | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:38 |
| S10 2 | 3 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) same streamlined | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:38 |
| S10 3 | 130 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) same elements! | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:41 |

| | | | | | | |
|----------|------|--|---|----|----|------------------|
| S10 4 | 123 | ((adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) same elements!) not ((adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) same rings!) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:39 |
| S10 5 | 294 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) same (adjustment or adjustable or adjust) near5 (radial or thimble or screw or stem or rod) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:53 |
| S10 6 | 2076 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) same (adjustment or adjustable or adjust) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:53 |
| S10 7 | 10 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) same (adjustment or adjustable or adjust) and "279"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 08:54 |
| S10 8 | 46 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) same (adjustment or adjustable or adjust) and "279"/\$.ccls. | USOCR | OR | ON | 2004/02/18 08:56 |
| S10 9 | 6992 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) same (adjustment or adjustable or adjust) | USOCR | OR | ON | 2004/02/18 08:57 |
| S11 0 | 835 | ((adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) same (adjustment or adjustable or adjust)) and ("267"/\$.ccls. or "180"/\$.ccls. or "248"/\$.ccls. or "403"/\$.ccls. or "464"/\$.ccls. or "384"/\$.ccls.) | USOCR | OR | ON | 2004/02/18 09:05 |

| | | | | | | |
|----------|------|---|---|----|----|------------------|
| S11 1 | 1039 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) same (adjustment or adjustable or adjust) same (rubber or elastomer or elastomeric) | USOCR | OR | ON | 2004/02/18 08:58 |
| S11 2 | 135 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) same (adjustment or adjustable or adjust) same (rubber or elastomer or elastomeric) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 09:04 |
| S11 3 | 1039 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) same (adjustment or adjustable or adjust) same (rubber or elastomer or elastomeric) | USOCR | OR | ON | 2004/02/18 09:04 |
| S11 4 | 1039 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) same (rubber or elastomer or elastomeric) | USOCR | OR | ON | 2004/02/18 09:04 |
| S11 5 | 192 | ((adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (stiffness or rigidity or preload or preloaded or prestress or prestressed) same (rubber or elastomer or elastomeric)) and ("267"/\$.ccls. or "180"/\$.ccls. or "248"/\$.ccls. or "403"/\$.ccls. or "464"/\$.ccls. or "384"/\$.ccls.) | USOCR | OR | ON | 2004/02/18 09:22 |
| S11 6 | 1 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) near4 (rings or cylinders) same (rod or shaft) same (rubber or elastomer or elastomeric) and 188/130.ccls. | USOCR | OR | ON | 2004/02/18 09:16 |
| S11 7 | 0 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (rubber or elastomer or elastomeric) and 188/130.ccls. | USPAT | OR | ON | 2004/02/18 09:17 |

| | | | | | | |
|----------|-----|---|--------------------|----|----|------------------|
| S11 8 | 14 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (rubber or elastomer or elastomeric) and 188/130.ccls. | USOCR | OR | ON | 2004/02/18 09:17 |
| S11 9 | 15 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (rubber or elastomer or elastomeric) and 267/195-216.ccls. | USOCR | OR | ON | 2004/02/18 09:19 |
| S12 0 | 7 | (adjustment or adjustable or adjust) same (tube or concentric or sleeve or bushing or bush) same (rubber or elastomer or elastomeric) and 267/195-216.ccls. | USPAT | OR | ON | 2004/02/18 09:20 |
| S12 1 | 0 | (adjustment or adjustable or adjust) same concentric near4 (tube or sleeve or bushing or bush) same (rubber or elastomer or elastomeric) and 267/195-216.ccls. | USPAT | OR | ON | 2004/02/18 09:21 |
| S12 2 | 24 | (adjustment or adjustable or adjust) same concentric near4 (tube or sleeve or bushing or bush) same (rubber or elastomer or elastomeric) | USPAT | OR | ON | 2004/02/18 09:22 |
| S12 3 | 256 | (adjustment or adjustable or adjust) same concentric near4 (tube or sleeve or bushing or bush) same (rubber or elastomer or elastomeric) | USOCR | OR | ON | 2004/02/18 09:27 |
| S12 4 | 47 | ((adjustment or adjustable or adjust) same concentric near4 (tube or sleeve or bushing or bush) same (rubber or elastomer or elastomeric)) and ("267"/\$.ccls. or "180"/\$.ccls. or "248"/\$.ccls. or "403"/\$.ccls. or "464"/\$.ccls. or "384"/\$.ccls.) | USOCR | OR | ON | 2004/02/18 09:28 |
| S12 5 | 2 | "2462272".URPN. | USPAT | OR | ON | 2004/02/18 09:25 |
| S12 6 | 0 | ("267"/\$.ccls. or "180"/\$.ccls. or "248"/\$.ccls. or "403"/\$.ccls. or "464"/\$.ccls. or "384"/\$.ccls.) and (adjustment or adjustable or adjust) same concentric near4 (tube or sleeve or bushing or bush) same (rubber or elastomer or elastomeric) | US-PGPUB; USPAT | OR | ON | 2004/02/18 09:42 |
| S12 7 | 25 | (adjustment or adjustable or adjust) same concentric near4 (tube or sleeve or bushing or bush) same (rubber or elastomer or elastomeric) | US-PGPUB; USPAT | OR | ON | 2004/02/18 09:29 |
| S12 8 | 9 | 188/130.ccls. and (rubber or elastomeric or friction) adj3 rings! | USOCR | OR | ON | 2004/02/18 09:30 |

| | | | | | | |
|----------|-------|--|---|----|----|------------------|
| S12 9 | 20 | 188/130.ccls. and (rubber or elastomeric or friction) near5 plurality | USOCR | OR | ON | 2004/02/18 09:32 |
| S13 0 | 30 | (rubber or elastomeric or friction) near5 plurality same concentric near5 (tubes! or bushings! or cylinders! or sleeves!) | USOCR | OR | ON | 2004/02/18 09:34 |
| S13 1 | 5 | (rubber or elastomeric or friction) near5 plurality same concentric near5 (tubes! or bushings! or cylinders! or sleeves!) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 09:35 |
| S13 2 | 0 | (rubber or elastomeric or friction) same concentric near5 (tubes! or bushings! or cylinders! or sleeves!) same arcuate\$5 near4 (screw or adjustor or adjustment or adjuster or screw near2 (head or nut)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 09:36 |
| S13 3 | 0 | (rubber or elastomeric or friction) same concentric near5 (tubes! or bushings! or cylinders! or sleeves!) same arcuate\$5 same (screw or adjustor or adjustment or adjuster or screw near2 (head or nut)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 09:37 |
| S13 4 | 0 | (rubber or elastomeric or friction) same concentric same (tubes! or bushings! or cylinders! or sleeves!) same arcuate\$5 same (screw or adjustor or adjustment or adjuster or screw near2 (head or nut)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 09:37 |
| S13 5 | 22750 | arcuate\$5 same (screw or adjustor or adjustment or adjuster or screw near2 (head or nut)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 09:37 |
| S13 6 | 144 | arcuate\$5 same (screw or adjustor or adjustment or adjuster or screw near2 (head or nut)) same (rubber or elastomer\$5) same (bushing or bush or sleeve or tube or tubular or concentric) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/02/18 09:42 |
| S13 7 | 4578 | arcuate\$5 same (screw or adjustor or adjustment or adjuster or screw near2 (head or nut)) same (rubber or elastomer\$5) same (bushing or bush or sleeve or tube or tubular or concentric) | USOCR | OR | ON | 2004/02/18 09:42 |

| | | | | | | |
|----------|-----|--|---|----|-----|------------------|
| S13 8 | 418 | ("267"/\$.ccls. or "180"/\$.ccls. or "248"/\$.ccls. or "403"/\$.ccls. or "464"/\$.ccls. or "384"/\$.ccls.) and (arcuate\$5 same (screw or adjustor or adjustment or adjuster or screw near2 (head or nut)) same (rubber or elastomer\$5) same (bushing or bush or sleeve or tube or tubular or concentric)) | USOCR | OR | ON | 2004/02/18 09:43 |
| S13 9 | 456 | ((464/82) or (464/83)).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/02/18 09:57 |
| S14 0 | 42 | 464/82-83.ccls. and (adjustable or adjust or adjustment or adjustably) | USOCR | OR | ON | 2004/02/18 10:04 |
| S14 1 | 39 | 464/82-83.ccls. and (adjustable or adjust or adjustment or adjustably) | US-PGPUB; USPAT | OR | ON | 2004/02/18 10:07 |
| S14 2 | 4 | (US-5709605-\$ or US-4311028-\$ or US-4551115-\$ or US-2323216-\$).did. | USPAT | OR | OFF | 2004/02/18 10:31 |
| S14 3 | 6 | (US-3358520-\$ or US-3296829-\$ or US-1633580-\$ or US-3244435-\$ or US-2332264-\$ or US-2181183-\$).did. | USOCR | OR | OFF | 2004/02/18 10:31 |
| S14 4 | 122 | RIVIN.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/08/22 12:35 |
| S14 5 | 122 | RIVIN.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/08/22 12:35 |
| S14 6 | 4 | (bush or bushing or sleeve or coaxial or concentric) same (rubber or elastom\$4) same adjustabl\$4 near5 (screw or bolt or threaded) same preload\$4 | US-PGPUB; USPAT | OR | ON | 2004/08/22 12:38 |
| S14 7 | 3 | (bush or bushing or sleeve or coaxial or concentric) same (rubber or elastom\$4) with adjustabl\$4 with preload\$4 | US-PGPUB; USPAT | OR | ON | 2004/08/22 12:38 |
| S14 8 | 1 | (bush or bushing or sleeve or coaxial or concentric) same (rubber or elastom\$4) with adjustabl\$4 with preload\$4 | EPO; JPO; DERWENT | OR | ON | 2004/08/22 12:52 |
| S14 9 | 1 | ("4966386").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/08/22 12:58 |
| S15 0 | 1 | ("5096166").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/08/22 13:11 |

| | | | | | | |
|----------|------|---|------------------------------|----|-----|------------------|
| S15 1 | 1 | ("5031885").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/08/22 13:21 |
| S15 2 | 1 | ("6082721").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/08/22 13:26 |
| S15 3 | 1 | ("2459741").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/08/22 13:36 |
| S15 4 | 2 | ((("1734596") or ("1621676"))).PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/08/22 13:41 |
| S15 5 | 1 | ("4899997").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/08/22 13:42 |
| S15 6 | 2736 | heating adj element with electrode | US-PGPUB; USPAT | OR | ON | 2004/08/23 06:05 |
| S15 7 | 422 | heating.clm. adj element same electrode.clm. and heating.ab. | US-PGPUB; USPAT | OR | ON | 2004/08/23 06:52 |
| S15 8 | 1 | ("4026533").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/08/23 06:53 |